



Restaurants and outdoor spaces





No need to central ngineroom Heating only in working hours Mounting on the ceiling or wall Advantages in restaurant and coffee shop 50%reduction in gas consumption, 90%reduction in electricity consumption

Outdoor heating

Delcheh Vita café restaurant Artemis tower Tehran

IRAN MASH'AL Co was founded as executive of great projects of public & industrial buildings in 1982. This company with credit of 30 years of experience took action to import manufacturing technology of radiant heating devices with cooperation of AMBIRAD UK company under the registered name of "GARMATAAB". IRAN MASH'AL Co founded an equipped lab in the location of its factory and succeeded .to achieve different certificates including Iran's National Standard of product Supply heating of area of over 5 millions m2 in more than 4500 projects in different spaces using GARMATAAB heaters and also product export to various countries prove the commitment of company directors to maintain and enhance customer .satisfaction








Iranian Syndicate of Industrial Companies



Member of Association of Irian Industries Industry



ISO17025 lab accreditation certificate



Association of Industries of Household Appliances of Iran



First & only holder of standard certificate of gas-fired radiant heating systems issued by Iranian National Standard Organization





Certificate issued by standard administration of Tehran Province of IRAN as first & only collaborative lab

Test & Research Lab of IRAN MASH'AL Co has been implemented based on ISO17025 standard and succeeded to accredit by National Accreditation center of Iran NACI

Please consider necessity of safety & performance standard certificate in gas-fired devices

Standard of GARMATAAB product

Due to special importance of safety & performance of gas-fired devices, Iranian National standard Organization compiled "single burner gas-fired overhead radiant tube heaters for non-domestic use" standard with NO.12871-1 based on "BS EN 416-1;1999" reference in 2010

IRAN MASH'AL Co took action to found and equip Research Laboratory of Radiant Heating Systems by spending so much effort & cost for proving conformity assessment of its product based on mentioned standard





Conformity assessment of product based on "BS EN 416-1:1999" & under license certificate issued by AMBIRAD Co

Technical specification of UT type of GARMATAAB

| | Model | | 22 UT | 35 UT | 40 UT | 50 UT | |
|----|--|------------------------|--|--------|--------|--------|--|
| | Overall length (m) | | 5/24 | 5/89 | 6/10 | 7/62 | |
| | Overall width (cm) | | 49 | 67 | 67 | 67 | |
| - | Weight (Kg) | | 63 | 95 | 97 | 144 | |
| | Heat capacity | Kcal/hr | 20,000 | 30,000 | 34,400 | 45,000 | |
| | | KW | 22 | 35 | 40 | 50 | |
| | Max natural gas consumption (pressure 17.8 mbar) (m3/hr) | | 2/1 | 3/3 | 3/8 | 4/7 | |
| | n mounting eights (m) | Wall- mounted | 3/6 | 4/3 | 4/3 | 5/7 | |
| he | | Ceil- mounted | 3/0 | 3/6 | 3/6 | 5/0 | |
| | Min clearance distances (cm) | Above device | 50 | 50 | 50 | 50 | |
| | | Beneath tubes | 125 | 150 | 210 | 210 | |
| | | To the sides of device | 60 | 60 | 60 | 60 | |
| | Electrical supply | | 40 to 100 Watts220- volts-single phase | | | | |
| | External fuse (A) | | 2A | | | | |



- -UT type of GARMATAAB
- -With high power radiation
 -For heating of long-height spaces




Galvanized reticulated guard For beauty & protection of tube

Technical specification of SL type of GARMATAAB

| | Model | | 22 SL | 35 SL | 40 SL | 50 SL | |
|---|--|------------------------|--|--------|--------|--------|--|
| | Overall length (m) | | 8/02 | 12/62 | 12/70 | 15/15 | |
| | Overall width (cm) | | 29/5 | 46 | 46 | 46 | |
| | Weight (Kg) | | 72 | 117 | 118 | 134 | |
| | Heat capacity | Kcal/hr | 20,000 | 30,000 | 34,400 | 45,000 | |
| | | KW | 22 | 35 | 40 | 50 | |
| С | Max natural gas consumption (pressure 17.8 mbar) (m3/hr) | | 2/1 | 3/3 | 3/8 | 4/7 | |
| | mounting | Wall- mounted | 3/6 | 4/3 | 4/3 | 5/7 | |
| | | Ceil- mounted | 3/0 | 3/6 | 3/6 | 5/0 | |
| | Min clearance distances (cm) | Above device | 50 | 50 | 50 | 50 | |
| | | Beneath tubes | 125 | 150 | 210 | 210 | |
| | | To the sides of device | 60 | 60 | 60 | 60 | |
| | Electrical supply | | 40 to 100 Watts220- volts-single phase | | | | |
| | External fuse (A) | | 2Δ | | | | |



- -SL type of GARMATAAB
- -With long length
- -For heating of short-height spaces




























www.shilafood.co ORIGINAL HOT DOG

















IRAN MASHAL environment engineering co.

First manufacturer of radiant heater & only holder of national standard certificate based on ISIRI 12871-1 in IRAN under the registered name of GARMATAAB







+98 21 88529566



+98 21 88752037



16 36 95 77 15



www.garmataab.com



Fajr industrial zone, Garmsar, IRAN



No.182, Dr beheshti street, Tehran, IRAN